

GLASS DOORS > SLIDING CARVART.COM



CARVART's glassDOOR offering includes a broad range of design options to choose from. By combining glass (colors and finishes), function (slide) and aesthetic (from minimalist and exposed to more concealed and private), customers can design and create truly unique spaces.

Dimensioned to custom-fit each project, CARVART's glassDOOR is also engineered to install efficiently. The solutions have versatile designs as well as application, catering to both architect and client specifications. With high-quality performance and durability, CARVART's glassDOOR is perfect for any space.

GLASS DOORS > SLIDING > glassSLIDING > FRAMED SINGLE

CARVART.COM

Specifications

glassSLIDING > FRAMED SINGLE (SLID-1FD)

Top-hung glass panel, fully framed by minimal aluminum profile. Travels along top track with hidden floor guide. Option available to conceal top track in ceiling to eliminate visible hardware.

FACILITY DESIGN APPLICATIONS

Space division between offices, conference rooms or flex-space, bathrooms.

CONFIGURATIONS

Single, single + fixed panels to match, side mounted, top mounted, concealed.

FUNCTION

Top-hung sliding single panel.

GLASS TYPES

Tempered monolithic. Tempered laminated.

GLASS FINISHES — Refer to Finish Chart CARVART laminated transparent glass design options available.

SURFACES

Smooth glass. Etched glass.

GLASS THICKNESS —

Refer to local code and structural requirements Accommodates 1/4" nominal.

HARDWARE DIMENSIONS

Aluminum top track:

2-5/8" wide x 2" high nominal.

Vertical side rails: 1-3/4" deep x 3/4" wide.

Horizontal side rails: 1-3/4" deep x 1-9/16" wide.

HARDWARE MATERIALS/FINISHES -

Refer to Finish Chart

Satin anodized aluminum, polished aluminum, blackened aluminum. black, white, grey, midnight, charcoal, light grey, warm grey, champagne, terra cotta.

WIDTHS — OVERALL MINIMUM/ MAXIMUM RANGE (inches):

Glass panels: Minimum 29". Maximum 48".

HEIGHTS — OVERALL MINIMUM/ MAXIMUM RANGE (inches):

Glass panels: Minimum 18" height. Maximum 108" height above finished floors.

VALUE-ADDED BENEFITS

- Easy installation: pre-assembled door panel
- Efficient operation: simple hardware design
- Minimalist: small aluminum frame; option to fully conceal top track
- · System durability and long-term integrity
- · Turnkey integrated project services

MOUNTING FASTENERS

Final anchoring decision is client-directed or based on client structural consultant. Mounting fasteners and anchors to be supplied by others.

CARVART advisory and coordination available.

WEIGHT & STRUCTURAL LOADS -

Consult local engineer for structural codes and requirements

Top rails for individual panels rated up to 220 lbs. Linear per foot weights based on final glass type. Overall weights available upon request for client structural calculations.

Refer to CARVART for technical consultation.

ADD-ON DESIGN OPTIONS -

Per specification and upcharges apply Various pull options. Various plastic/brush connection details for increased privacy.

CUSTOMIZATION

Custom dimensions per opening.

INSTALLATION

Limited components make for fast installation. Pre-cut top track speeds up install available. Requires trained and competent glazing or carpenter industry professionals.

Installation instructions, assistance and training available at time of order.

All hardware components, including doors, will be delivered knocked down and require assembly by a glazing industry professional. Certain glass and hardware finishes are available as pre-assembled products as called out in the glass and hardware finishes pages. Consult a CARVART agent for information on available pre-assembled components


HARDWARE WARRANTY -

5-year limited warranty.


For more info, contact CARVART Sales Advisory Team at quotes@carvart.com or call us at 212 675 0030.


Details

CARVART




TYPICAL ELEVATION @ SINGLE PANEL








Options: Configurations

CARVART°










Options: Pulls

CARVART°

BAR PULLS

Ladder pulls available in:

- Multiple finishes (see chart)
- ADA configurations
- Locking/non-locking



Design appeal and detailing


- All profiles and hardware are specifically engineered to keep sight lines and design aesthetic minimal
- Aluminum fascias conceal all clamping and hardware, available in various finishes
- Lightweight and optimized hardware solutions keep system efficient and easy to operate
- Create unique appearance with CARVART glass options






Ease of installation

CARVART°



SIMPLE PANEL ASSEMBLY

All door panels come with installation instructions labeled to match shop drawings for easy set-up and assembly.



PRE-ASSEMBLED COMPONENTS

Door panels come pre-assembled and glazed, with frames pre-mitered, allowing an efficient installation process.


GLASS DOORS > SLIDING > glassSLIDING > FRAMED SINGLE


CARVART.COM


Life cycle maintenance

CARVART products are fully dry-glazed, eliminating the unnecessary labor and maintenance costs associated with standard sliding door systems. This, in conjunction with CARVART's reliable archive of shop drawings allows for efficient replacement. The hardware is cycle-tested at high frequencies to ensure durability, over-engineered strength and quality. Finally, products are easy to clean due to minimal profiles and overall limited hardware.









EASE OF INSTALLATION

CARVART's products are engineered to be light-weight and ergonomic, facilitating installation and eliminating unnecessary labor costs due to complex assembly methods.

EASY TO REPLACE

Minimal hardware with easy access to hinges, tracks and trolleys making replacement efficient and hassle-free.

HIGH-CYCLE TESTED DURABILITY

All CARVART glassDOORS are cycle-tested to hundreds of thousands of cycles, and rated for weights that exceed beyond maximum panel size.


CLEANING AND MAINTENANCE

Once system is properly installed, virtually no maintenance is needed. Additionally, profiles have minimum reveals and crevices, significantly reducing dust collection.

GLASS DOORS > SLIDING > glassSLIDING > FRAMED SINGLE

CARVART.COM

Project management coordination



COORDINATION AND SHOP DRAWINGS

 CARVART offers full scheduling coordination and phasing for custom project delivery

- Full range of coordination and shop drawing/engineering services
- Dedicated project managers are assigned to each project for maximum success

HARDWARE OPTIONS

- Provide full range of hardware options for infinite design and site conditions
- Multiple design options

GLASS DESIGN AND DEVELOPMENT

 Glass design and development services integrate standard and custom glass selections with available hardware options

POST-DELIVERY SERVICES

- Installation training specific to project and product
- Project-specific service levels (including phased deliveries and shipping)
- Project logistics can ship by floor or designated area



GLASS DOORS > SLIDING > FINISHES CARVART.COM





GLASS DOORS > SLIDING > FINISHES CARVART.COM

PATTERN glass



05 Beam

















METALLIC glass

























Herringbone 01 Stainless Steel

















Stria

TEXTILE glass



White









Champagne

01



02

Gold



03

Copper



04

Steel









GRADIENT glass





COVERT glass











HARDWARE Powder coat



MFSA Satin



MFWH**

White















MFBB Anodized Blackened Aluminum

MFBZ Bronze Heavy

** Standard finish



GLASS DOORS > SLIDING > VIEWS

Views

Shown in order of lowest to highest translucency

