


# glassSCREENS > Workstations




## Types

### LINE-TOP




Workstations>LINE>TOP  
(GS-SW-LT)

### DISK-TOP




Workstations>DISK>TOP  
(GS-SW-DT)

### LEVEL




Workstations>LEVEL  
(GS-SW-L)

### EDGE




Workstations>EDGE  
(GS-SW-E)

### LINE-SIDE




Workstations>LINE>SIDE  
(GS-SW-LS)

### DISK-SIDE



Workstations>DISK>SIDE  
(GS-SW-DS)

### GRIP



Workstations>GRIP  
(GS-SW-GP)

## glassSCREENS > Workstations > LINE > Top








## glassSCREENS > Workstations > LINE > Top



Workstations > LINE > Top  
(GS-SW-LT)



TYPICAL DETAILS



EXAMPLE CONFIGURATIONS

Specifications

Workstations>LINE>Top

CARVART’s benching screens offer a timeless architectural design that are flexible and adaptable, while providing hygienic protection for our ever-changing workplace. The sleek aesthetics blend into any space and are ideal for protection and engagement with non-porous, scratch resistant tempered glass that is increasingly durable, ensuring a greater product longevity.

APPLICATIONS —

Protection for staff and for clients, customers, visitors.  
Work station protection, Lobbies, Reception Area, Hospitals, Restaurants, Cafeterias, Transaction Areas.

HARDWARE MATERIALS/FINISHES —

Standard: White, Metallic Silver, Black  
*Inquire for more finish options*

PANEL WIDTHS (OVERALL MAXIMUM)

Maximum Width (per 2 Brackets): 60”  
*Larger sizes available with engineering approval*

PANEL HEIGHTS —

Maximum Height: 32”

MOUNTING OPTIONS —

Free Standing, VHB Tape

GLASS THICKNESS —

1/4” [6mm]  
5/16 [8mm]

WARRANTY —

1 Year Limited Warranty



Specification Code: **GS-SW-LT**

<b>GS</b>	<b>SW</b>	<b>LT</b>
LINE	TYPE	MODEL/ID


## glassSCREENS > Workstations > LINE > Side



Workstations > LINE > Side  
(GS-SW-LS)



TYPICAL DETAILS



EXAMPLE CONFIGURATIONS

Specifications

**Workstations>LINE>Side**  
CARVART's benching screens offer a timeless architectural design that are flexible and adaptable, while providing hygienic protection for our ever-changing workplace. The sleek aesthetics blend into any space and are ideal for protection and engagement with non-porous, scratch resistant tempered glass that is increasingly durable, ensuring a greater product longevity.

**APPLICATIONS —**  
Protection for staff and for clients, customers, visitors.  
Work station protection, Lobbys, Reception Area, Hospitals, Restaurants, Cafeterias, Transaction Areas.  
**HARDWARE MATERIALS/FINISHES —**  
Standard: White, Metallic Silver, Black  
*Inquire for more finish options*

**PANEL WIDTHS (OVERALL MAXIMUM)**  
Maximum Width (per 2 Brackets): 60"  
*Larger sizes available with engineering approval*

**PANEL HEIGHTS —**  
Maximum Height: 32"

**MOUNTING OPTIONS —**  
Clamp to thickness of worksurface  
(Max worksurface thickness - 1-3/4")

**GLASS THICKNESS —**  
1/4" [6mm]  
5/16 [8mm]

**WARRANTY —**  
1 Year Limited Warranty

Specification Code: **GS-SW-LS**

<b>GS</b>	<b>SW</b>	<b>LS</b>
LINE	TYPE	MODEL/ID






## glassSCREENS > Workstations > Disk > Top








## Workstations > DISK > Top

(GS-SW-DT)



### TYPICAL DETAILS



### EXAMPLE CONFIGURATIONS

## Specifications

### Workstations>DISK>Top

CARVART's benching screens offer a timeless architectural design that are flexible and adaptable, while providing hygienic protection for our ever-changing workplace. The sleek aesthetics blend into any space and are ideal for protection and engagement with non-porous, scratch resistant tempered glass that is increasingly durable, ensuring a greater product longevity.

### APPLICATIONS —

Protection for staff and for clients, customers, visitors.  
Work station protection, Lobbies, Reception Area, Hospitals, Restaurants, Cafeterias, Transaction Areas.

### HARDWARE MATERIALS/FINISHES —

Material: Powdercoated Steel Base  
Finishes: Black, Grey-White

### PANEL WIDTHS —

Maximum Width (2 Brackets): 36"  
*Larger sizes available with engineering approval*

### PANEL HEIGHTS —

- Free-Standing with VHB (required): 18"  
- Configured with adjacent glassSCREENS: 32"

### MOUNTING OPTIONS —

VHB Tape, Mechanically Fastened

### GLASS THICKNESSES —

1/4" [6mm]  
\*Curved edges upon request  
with additional cost

### WARRANTY —

1 Year Limited Warranty

Specification Code: **GS-SW-DT**

**GS**

LINE

**SW**

TYPE

**DT**

MODEL/ID

## glassSCREENS > Workstations > Disk > Side





## glassSCREENS > Workstations







Workstations > DISK > Front  
(GS-SW-DS)



TYPICAL DETAILS



CORNER



FULL-HEIGHT

Specifications

Workstations>DISK>Front

CARVART's benching screens offer a timeless architectural design that are flexible and adaptable, while providing hygienic protection for our ever-changing workplace. The sleek aesthetics blend into any space and are ideal for protection and engagement with non-porous, scratch resistant tempered glass that is durable, ensuring a greater product longevity.

APPLICATIONS —

Protection for staff and for clients, customers, visitors.  
Work station protection, Lobbies, Reception Area, Hospitals, Restaurants, Cafeterias, Transaction Areas.

HARDWARE MATERIALS/FINISHES —

Material: Powdercoated Steel Base  
Finishes: Black, Grey-White

PANEL WIDTHS —

Max Width: 60"

PANEL HEIGHTS —

- Desk-top Height: 26"  
- Full Height: 32"

MOUNTING OPTIONS —Clamp,  
Mechanically Fastened

MAX TABLE THICKNESS —1-1/4"

GLASS THICKNESSES —

1/4" [6mm]  
\*Curved edges upon request with additional cost



WARRANTY —

1 Year Limited Warranty




Specification Code: **GS-SW-DS**

<b>GS</b>	<b>SW</b>	<b>DS</b>
LINE	TYPE	MODEL/ID

Workstations > LEVEL  
(GS-SW-L)



TYPICAL DETAILS



EXAMPLE CONFIGURATIONS

Specifications

Workstations>LEVEL

CARVART's benching screens offer a timeless architectural design that are flexible and adaptable, while providing hygienic protection for our ever-changing workplace. The sleek aesthetics blend into any space and are ideal for protection and engagement with non-porous, scratch resistant tempered glass that is increasingly durable, ensuring a greater product longevity.

APPLICATIONS —

Space division between working areas

HARDWARE MATERIALS/FINISHES —

Satin Anodized

PANEL WIDTHS (OVERALL MAXIMUM)—

Inquire for layout options

PANEL HEIGHTS —

Max Height: 32"

MOUNTING OPTIONS —

Clamp, Mechanically Fastened

MAX TABLE THICKNESS —

1-1/4"

GLASS THICKNESSES —

1/4" - 1/2"

WARRANTY —


1 Year Limited Warranty

Specification Code: **GS-SW-L**


<b>GS</b>	<b>SW</b>	<b>L</b>
LINE	TYPE	MODEL/ID

## Workstations > GRIP


(GS-SW-GP)




TYPICAL FRONT DETAIL



TYPICAL ELEVATION



TYPICAL VERTICAL SECTION



TYPICAL REAR DETAIL

## Specifications

### Workstations>GRIP

CARVART's benching screens offer a timeless architectural design that are flexible and adaptable, while providing hygienic protection for our ever-changing workplace. The sleek aesthetics blend into any space and are ideal for protection and engagement with non-porous, scratch resistant tempered glass that is increasingly durable, ensuring a greater product longevity.

### APPLICATIONS —

Space division between working areas

### HARDWARE MATERIALS/FINISHES —

Silver Powder Coated

\*Other Powder Coated Colors available upon request

### PANEL WIDTHS (OVERALL MAXIMUM) —

Max Width (per 2 clamps): 36"

Max Width (per 3 clamps): 72"

### PANEL HEIGHTS —

Max Height (1/4" thick glass): 24"

Max Height (3/8" thick glass): 30"

### MOUNTING OPTIONS —

Clamp, Mechanically Fastened

### MAX TABLE THICKNESS —

1-1/2"

### GLASS THICKNESSES —

1/4" - 3/8"

### WARRANTY —

1 Year Limited Warranty

Specification Code: **GS-SW-GP**

**GS**

LINE

**SW**

TYPE



**GP**

MODEL/ID




# Workstations > EDGE

(GS-SW-E)



TYPICAL DETAILS



EXAMPLE CONFIGURATIONS

## Specifications

Workstations>EDGE

CARVART's benching screens offer a timeless architectural design that are flexible and adaptable, while providing hygienic protection for our ever-changing workplace. The sleek aesthetics blend into any space and are ideal for protection and engagement with non-porous, scratch resistant tempered glass that is more resistant to bacteria and increasingly durable, ensuring a greater product longevity.

APPLICATIONS —

Space division between working areas

HARDWARE MATERIALS/FINISHES —

-MFSA (Satin Anodized Aluminum)

Refer to Finish Chart for standard colors

PANEL WIDTHS (OVERALL MAXIMUM) —

Inquire for layout options

PANEL HEIGHTS —

Maximum Height: 32"

Maximum 48" per return

MOUNTING OPTIONS —

VHB Tape, Mechanically Fastened

GLASS THICKNESSES —

1/4"

WARRANTY —


1 Year Limited Warranty

NOTE: All EDGE workstations must have glass return or be mounted to wall.

Specification Code: **GS-SW-E**

<b>GS</b>	<b>SW</b>	<b>E</b>
LINE	TYPE	MODEL/ID

“ design your space to fit your needs  
... carvart products in combination create a beautiful and functional workspace.



## glassSCREENS > Workstations





CARVART®